

Reference list

2023

Klein, T., **Zulauf, G.**, Evans, D., Gerdes, A., Glodny, J., Heidelbach, F., Kirst, F., Linckens, J., Müller, W., Özcan, E., Petschick, R., Xypolias, P., 2023. Cenozoic evolution of the Tripolitza carbonate platform in the Tethyan realm: New age constraints on deposition, diagenesis, metamorphism and nappe emplacement based on U-Pb and Rb-Sr dating (External Hellenides, Crete). *Geol. Mag.*

Zulauf, G., Linckens, J., Beranoaguirre, A., Gerdes, A., Krahl, J., Marschall, H.R., Millonig, L.-L., Neuwirth, N., Petschick, R., Xypolias, P., 2023. Long-term formation of barren skarn in a Triassic extensional setting: Implications for the provenance of the Uppermost Unit of Crete, Greece. *Int. J. Earth Sci.*, <https://doi.org/10.1007/s00531-023-02296-4>.

Xypolias, P., Lois, A., Aravadinou, E., Gerogiannis, N., Chatzaras, V., **Zulauf, G.**, 2023. Stress changes during exhumation of a high-pressure nappe (Phyllite-Quartzite unit, Greece): Insights from quartz microstructures and recrystallized grain size statistics. *J. Struct. Geol.*, 167; <https://doi.org/10.1016/j.jsg.2022.104782>

Mertineit, M., Schramm, M., Thiemeyer, N., Blanke, H., Patzschke, M., **Zulauf, G.**, 2023. Paleostress, deformation mechanisms and finite strain related to chocolate-tablet boudinage and folding of a Permian rock salt/anhydrite sequence (Morsleben site, Germany). *Tectonophysics*, 847; <https://doi.org/10.1016/j.tecto.2023.229703>

2022

Mertineit, M., Schramm, M., Shao, H., Paul, B., Hesser, J., Hammer, J., **Zulauf, G.**, 2022. Microstructure, permeability and geochemistry of vein-bearing Upper Permian anhydrite rock (Gorleben-Bank, Germany). In: de Bresser, J.H.P., Drury, M.R., Fokker, P.A., Gazzani, M., Hangx, S.J.T., Niemeijer, A.R., Spiers, C.J., Mechanical Behavior of Salt X, 2022. Proceedings. E-Book ISBN 978-1-032-28220-6; <https://doi.org/10.1201/9781003295808>.

Zulauf, G., Zulauf, J., Linckens, J., Gerdes, A., Hattingen, E., Loeckle, F., Marschall, H.R., Steckenreiter, L., 2022. Development of a synorogenic composite sill at deep structural levels of a magmatic arc (Odenwald, Germany). Part 2: Rheological inversion and mullion formation under bulk constriction. *J. Struct. Geol.*, 155, <https://doi.org/10.1016/j.jsg.2022.104525>.

2021

Zulauf, G., Gerdes, A., Hattingen, E., Hoefer, H.E., Loeckle, F., Marschall, H.R., Nesbor, H.-D., Petschick, R., Reischmann, T., Schmeling, H., Zulauf, J., 2021. Development of a synorogenic composite sill at deep structural levels of a continental arc (Odenwald, Germany). Part 1: Sederholm-type emplacement

portrayed by contact melt in shrinkage cracks. *Tectonophysics*, 805, <https://doi.org/10.1016/j.tecto.2021.228774>.

Zulauf, G., Zulauf, J., Hattingen, E., 2021. From parasitic via non-cylindrical to extension-parallel folding of oblique single layers under coaxial plane strain: Layer rotation around the shortening axis (Z). *J. Struct. Geol.*, 145, <https://doi.org/10.1016/j.jsg.2021.104303>.

Henneberg, M., Nowara, P., Hammer, J., Zulauf, J., **Zulauf, G.**, 2021. Depth-dependent variation of microfabrics and deformation mechanisms in bedded rock salt. *Journal of Applied and Regional Geology (ZDGG)*, DOI: 10.1127/zdgg/2021/0269.

2020

Henneberg, M., Linckens, J., Schramm, M., Hammer, J., Gerdes, A., **Zulauf, G.**, 2020. Structural evolution of continental and marine Permian rock salt of the North German Basin: constraints from microfabrics, geochemistry and U–Pb ages. *Int. J. Earth Sci.*, 109, 2369–2387; <https://doi.org/10.1007/s00531-020-01905>.

Kneuker, T., Blumenberg, M., Strauss, H., Dohrmann, R., Hammer, J., **Zulauf, G.**, 2020. Structure, kinematics and composition of fluid-controlled brittle faults and veins in Lower Cretaceous claystones (Lower Saxony Basin, Northern Germany): Constraints from petrographic studies, microfabrics, stable isotopes and biomarker analyses. *Chem. Geol.*, 540, <https://doi.org/10.1016/j.chemgeo.2020.119501>.

Zulauf, J., **Zulauf, G.**, Hattingen, E., 2020a. Boudinage and two-stage folding of oblique single layers under coaxial plane strain: Layer rotation around the axis of no change (Y). *J. Struct. Geol.*, 135, <https://doi.org/10.1016/j.jsg.2020.104023>.

Zulauf, J., **Zulauf, G.**, Hattingen, E., 2020b. Coeval boudinage and folding of oblique single layers under coaxial plane strain: Layer rotation around the principal stretching axis (X). *J. Struct. Geol.*, 141; <https://doi.org/10.1016/j.jsg.2020.104217>.

2019

Zulauf, G., Dörr, W., Xypolias, P., Gerdes, A., Kowalczyk, G., Linckens, J., 2019. Triassic evolution of the western Neotethys: constraints from microfabrics and U–Pb detrital zircon ages of the Plattenkalk Unit (External Hellenides, Greece). *Int. J. Earth Sci.*, 108, 2493–2529; doi.org/10.1007/s00531-019-01773-z

Linckens, J., **Zulauf, G.**, Mertineit, M., 2019. The influence of a grain-shape fabric on the mechanical behaviour of rock salt: Results from deformation experiments. *Tectonophysics*, 751, 73–82; <https://doi.org/10.1016/j.tecto.2018.12.009>

Zulauf, G., Zulauf, J., Thiessen, A., Hattingen, E., 2019. Formation of dome-in-dome structures: Results from experimental studies and comparison with natural examples. *J. Struct. Geol.*, 118, 324–339; <https://doi.org/10.1016/j.jsg.2018.11.008>

Zulauf, G., 2019. Field Guide through the north-western part of the Bohemian Massif. 3rd Workshop on Orogenic Processes in the Bohemian Massif, Presseck/Bavaria, 15–17 June, 2018. *Exkursionsführer und Veröffentlichungen der Deutschen Gesellschaft für Geowissenschaften*, 262, 1–48; Berlin.

2018

Henneberg, M., Mertineit, M., Hammer, J. and **Zulauf, G.**, 2018. Fabric, paleostress and mineralogical composition of impure Rotliegend rock salt (North German Basin). In: Fahland, S., Hammer, J., Hansen, F., Heusermann, S., Lux, K.-H. and Minkley, W., *Mechanical Behavior of Salt IX*. Proceedings, pp. 131–141; Federal Institute for Geosciences and Natural Resources (BGR), Hannover, Germany.

- Kneuker, T., Mertineit, M., Schramm, M., Hammer, J., **Zulauf, G.**, Thiemeyer, N., 2018. Microfabrics and composition of Staßfurt and Leine rock salt (Upper Permian) of the Morsleben site (Germany): Constraints on deformation mechanisms and palaeostress. In: Fahland, S., Hammer, J., Hansen, F., Heusermann, S., Lux, K.-H. and Minkley, W., Mechanical Behavior of Salt IX. Proceedings, pp. 143-157; Federal Institute for Geosciences and Natural Resources (BGR), Hannover, Germany.
- Linckens, J., Heeb, J., **Zulauf, G.**, Mertineit, M., 2018. Subgrain development in experimentally deformed rock salt. In: Fahland, S., Hammer, J., Hansen, F., Heusermann, S., Lux, K.-H. and Minkley, W., Mechanical Behavior of Salt IX. Proceedings, pp. 121-130; Federal Institute for Geosciences and Natural Resources (BGR), Hannover, Germany.
- Martha, S.O., **Zulauf, G.**, Dörr, W., Xypolias, P., Binck, J.J. and Nowara, P.M., 2018. The Uppermost Unit south of the Dikti Mountains, eastern Crete: Constraints on the tectonometamorphic evolution of the Internal Hellenides. Geological Magazine; 156, 1003-1026; doi:10.1017/S0016756818000328.
- Mertineit, M., Schramm, M., Kneuker, T., Hammer, J., **Zulauf, G.**, Thiemeyer, N., 2018. Composition and microstructure of pure halite layers in Upper Permian Zechstein 2 rock salt (Gorleben salt dome). In: Fahland, S., Hammer, J., Hansen, F., Heusermann, S., Lux, K.-H. and Minkley, W., Mechanical Behavior of Salt IX. Proceedings, pp. 159-172; Federal Institute for Geosciences and Natural Resources (BGR), Hannover, Germany.
- Zulauf, G.**, Dörr, W., Marko, L., Krahl, J., 2018. The late Eo-Cimmerian evolution of the External Hellenides: Constraints from microfabrics and U-Pb detrital zircon ages of Upper Triassic (meta)sediments (Crete, Greece). Int. J. Earth. Sci., 107, 2859-2894; DOI: 10.1007/s00531-018-1632-8.

2017

- Dörr, W., **Zulauf, G.**, Gerdes, A., Loeckle, F., 2017. Provenance of Upper Devonian clastic (meta)sediments of the Böllstein Odenwald (Mid-German-Crystalline-Zone, Variscides). Int. J. Earth Sci., DOI 10.1007/s00531-017-1473-x.
- Kneuker, T., Hammer, J., Shao, H., Schuster, K., Furche, M., **Zulauf, G.**, 2017. Microstructure and composition of brittle faults in claystones of the Mont Terri rock laboratory (Switzerland): New data from petrographic studies, geophysical borehole logging and permeability tests. Engineering Geology, 231, 139–156, doi.org/10.1016/j.enggeo.2017.10.016.
- Martha, S.O., Dörr, W., Gerdes, A., Krahl, J., Linckens, J., **Zulauf, G.**, 2017. The tectonometamorphic and magmatic evolution of the Uppermost Unit in central Crete (Melambes area): constraints on a Late Cretaceous magmatic arc in the Internal Hellenides (Greece). Gondwana Res., 48, 50-71. doi/10.1016/j.gr.2017.04.004.
- Zulauf, G.**, Zulauf, J., Maul, H., 2017. Quantification of the geometrical parameters of non-cylindrical folds. J. Struct. Geol., 100, 120-129; doi.org/10.1016/j.jsg.2017.06.001.

2016

- Chatzaras, V., Dörr, W., Gerdes, A., Krahl, J., Xypolias, P., **Zulauf, G.**, 2016. Tracking the late Paleozoic to early Mesozoic margin of northern Gondwana in the Hellenides: paleotectonic constraints from U-Pb detrital zircon ages. Int. J. Earth Sci., DOI 10.1007/s00531-016-1298-z.
- Linckens, J., **Zulauf, G.** and Hammer, J., 2016. Experimental deformation of coarse-grained rock salt to high strain. J. Geophys. Res. Solid Earth, 121, 6150–6171, doi:10.1002/2016JB012890.
- Loeckle, F., **Zulauf, G.**, Nesbor, H.-D., 2016. Microfabrics of crystalline rocks from the drilling projects Groß-Umstadt Heubach and Wiebelsbach: Constraints on deformation mechanisms, metamorphic temperature and kinematics of the Böllsteiner Odenwald. Z. Dt. Ges. Geowiss. (German J. Geol.), DOI 10.1127/zdgg/2016/0045.
- Martha, S.O., Dörr, W., Gerdes, A., Petschick, R., Schastock, J., Xypolias, P., **Zulauf, G.**, 2016. New structural and U-Pb zircon data from Anafi crystalline basement (Cyclades, Greece): constraints on the evolution of

a Late Cretaceous magmatic arc in the Internal Hellenides. *Int. J. Earth Sci.*; DOI 10.1007/s00531-016-1346-8.

Thiemeyer, N., **Zulauf, G.**, Mertineit, M., Linckens, J., Pusch, M., Hammer, J., 2016. Microfabrics and 3D grain shape of Gorleben rock salt: constraints on deformation mechanisms and paleodifferential stress. *Tectonophysics*, 676, 1-19; <http://dx.doi.org/10.1016/j.tecto.2016.02.046>.

Türkoğlu, E., **Zulauf, G.**, Linckens, J., Ustaömer, T., 2016. Dextral strike-slip along the Kapıdağ shear zone (NW Turkey): evidence for Eocene westward translation of the Anatolian plate. *Int. J. Earth Sci.*, 105, 2061–2073; DOI 10.1007/s00531-016-1372-6.

Zulauf, J., **Zulauf, G.**, Zanella, F., 2016. Formation of dome and basin structures: Results from scaled experiments using non-linear rock analogues. *J. Struct. Geol.*, 90, 1-14; <http://dx.doi.org/10.1016/j.jsg.2016.07.001>.

Zulauf, G., Dörr, W., Krahl, J., Lahaye, Y., Chatzaras, V., Xypolias, P., 2016. U–Pb zircon and biostratigraphic data of high-pressure/low-temperature metamorphic rocks of the Talea Ori: tracking the Paleotethys suture in central Crete, Greece. *Int. J. Earth Sci.*, 105, 1901–1922; DOI 10.1007/s00531-016-1307-2

2015

Hammer, J., Pusch, M., Häger, A., Ostertag-Henning, C., Thiemeyer, N. & **Zulauf, G.**, 2015. Hydrocarbons in rock salt of the Gorleben salt dome – amount, distribution, origin, and influence on geomechanical properties. In: Roberts, L., Mellegard, K. & Hansen, F. (eds.): Mechanical Behavior of Salt VIII. Proceedings Conf. on mechanical behavior of salt, SaltMech VIII, Rapid City, Taylor & Francis Group, London, 69-75. ISBN: 978-1-138-02840-1.

Dörr, W., **Zulauf, G.**, Gerdes, A., Lahaye, Y., Kowalczyk, G., 2015. A hidden Tonian basement in the eastern Mediterranean: Age constraints from U–Pb data of magmatic and detrital zircons of the External Hellenides (Crete and Peloponnesus). *Precambr. Res.*, 258, 83-108; <http://dx.doi.org/10.1016/j.precamres.2014.12.015>

Madani-Kivi, M. and **Zulauf, G.**, 2015. Tectono-sedimentary evolution of the Permian–Triassic extension event in the Zagros basin (Iran): results from analogue modelling. *Journal of the Geological Society*, 172, 237–250; doi:10.1144/jgs2013-147.

Mertineit, M., Hammer, J., Schramm, M., Kneuker, T., Thiemeyer, N. and **Zulauf, G.**, 2015. Deformation of thin layered anhydrite rocks within the Gorleben salt dome, Germany. In: Roberts, L., Mellegard, K. and Hansen, F. (eds.): Mechanical Behavior of Salt VIII. Proceedings of the 8th Conference, Rapid City, 99-107, Taylor & Francis Group, London. ISBN: 978-1-138-02840-1.

Thiemeyer, N., Habersetzer, J., Peinl, M., **Zulauf, G.**, Hammer, J., 2015. The application of high resolution X-ray computed tomography on naturally deformed rock salt: Multi-scale investigations of the structural inventory. *J. Struct. Geol.*, 77, 92-106; <http://dx.doi.org/10.1016/j.jsg.2015.05.014>.

Petrov V.A., Poluektov V.V., Hammer, J.R., **Zulauf, G.**, 2015. Analysis of mineralogical and deformation-induced transformations of Nizhnekansky Massif rocks to estimate their retention capacity in geological disposal and isolation of radioactive waste. *Mining Journal/Gornyi Zhurnal*, 10, 67-74; <http://dx.doi.org/10.17580/gzh.2015.10.13>

Zulauf, G., Dörr, W., Fisher-Sprulock, S.C., Gerdes, A., Chatzaras, V., Xypolias, P., 2015. Closure of the Paleotethys in the External Hellenides: Constraints from U–Pb ages of magmatic and detrital zircons (Crete), *Gondwana Research*, 28, 642-667; <http://dx.doi.org/10.1016/j.gr.2014.06.011>

2014

Kneuker, T., Dörr, W., Petschick, R., **Zulauf, G.**, 2014. Upper crustal emplacement and deformation of granitoids inside the Uppermost Unit of the Cretan nappe stack: Constraints from U–Pb zircon dating, microfabrics and paleostress analyses. *Int. J. Earth Sci.* (DOI 10.1007/s00531-014-1088-4).

Martha, S.O., **Zulauf, G.**, Dörr, W., Nesbor, H.-D., Petschick, R., Prinz-Grimm, P. & Gerdes, A., 2014. The Saxothuringian-Rhenohercynian boundary underneath the Vogelsberg volcanic field: evidence from basement xenoliths and U-Pb zircon data of trachyte. *Z. Dt. Ges. Geowiss.*, 165, 373–394, doi: 10.1127/1860-1804/2014/0079

Zulauf, J., **Zulauf, G.**, Göttlich, J., Peinl, M., 2014. Formation of chocolate-tablet boudins: Results from scaled analogue models. *Journal of Structural Geology*, 68, 97-111. <http://dx.doi.org/10.1016/j.jsg.2014.09.005>

2013

Zulauf, G., Blau, J., Dörr, W., Klein, T., Krahl, J., Kustatscher, E., Petschick, R., van de Schootbrugge, B., 2013. New U-Pb zircon and biostratigraphic data of the Tyros Unit, eastern Crete: Constraints on Triassic palaeogeography and depositional environment of the eastern Mediterranean. *Zeitschrift der Deutschen Gesellschaft für Geowissenschaften*, 164, 337-352; doi: 10.1127/1860-1804/2013/0009.

Klein T., Craddock J.P., **Zulauf, G.**, 2013. Constraints on the geodynamical evolution of Crete: insights from illite crystallinity, Raman spectroscopy and calcite twinning above and below the “Cretan Detachment”. *Int. J. Earth Sci.*, 102, 139-182; doi: 10.1007/s00531-012-0781-4.

Žák, J., **Zulauf, G.**, Dörr, W., Hajná, J. Verner, K., 2013. From Cadomian accretion to Variscan collision: a crustal-scale traverse across the northwestern Tepla-Barrandian unit. *SDGG*, 82, 119-149.

Thiemeyer, N., Pusch, M., Hammer, J. & **Zulauf, G.**, 2013. Quantification and 3D visualisation of pore space in Gorleben rock salt: constraints from CT imaging and microfabrics. *Z. Dt. Ges. Geowiss. (German J. Geosci.)*, 165, 15-25; doi: 10.1127/1860-1804/2013/0050

Kneuker, T., **Zulauf, G.**, Mertineit, M., Behlau, J. & Hammer, J. (2013): The impact of finite strain on deformation mechanisms of Permian Stassfurt rock salt at the Morsleben site (Germany): constraints from microfabric studies and EBSD analyses. *Z. Dt. Ges. Geowiss. (German J. Geosci.)*, 165, 91–106.

Mertineit, M., Schramm, M., Hammer, J. & **Zulauf, G.**, 2013. Deformation of anhydrite rocks (Gorleben-Bank, z3OSM) in a high-strain domain of the Gorleben salt dome, Germany. [Deformationsverhalten anhydritischer Gesteine (Gorleben-Bank, z3OSM) in einem Bereich hoher finiter Verformung im Salzstock Gorleben, Deutschland.] – *Z. Dt. Ges. Geowiss. (German J. Geosci.)*, 165, 49-62.

2012

Chatzaras, V., Dörr, W., Finger, F., Xypolias, P., **Zulauf, G.**, 2012. U-Pb single zircon ages and geochemistry of metagranitoid rocks in the Cycladic Blueschists (Evia Island): implications for the Triassic tectonic setting of Greece. *Tectonophysics*, 595/596, 125-139; doi:10.1016/j.tecto.2012.05.016.

Dörr, W. and **Zulauf, G.**, 2012. Reply to W. Franke on W. Dörr and G. Zulauf, Elevator tectonics and orogenic collapse of a Tibetan-style plateau in the European Variscides: the role of the Bohemian shear zone. *Int. J. Earth Sci.*, DOI 10.1007/s00531-012-0767-2

Mertineit, M., Behlau, J., Hammer, J., Schramm, M. and **Zulauf, G.**, 2012. Mechanical behaviour of anhydrite rocks: Results of field investigations, mineralogical-geochemical studies and thermomechanical experiments. In: Bérest, P., Ghoreychi, M., Hadj-Hassen, F. and Tijani, M. (Eds.), *Mechanical Behavior of Salt VII*, pp. 123-130. Taylor & Francis Group, London.

Pastor-Galán, D., Gutiérrez-Alonso, G., **Zulauf, G.**, and Zanella, F., 2012. Analogue modeling of lithospheric-scale orocline buckling: Constraints on the evolution of the Iberian-Armorian Arc. *GSA Bulletin*, 124, 1293–1309; doi: 10.1130/B30640.1.

Zulauf, G., Zulauf, J., Mertineit, M., Hammer, J., 2012. Boudinage of anhydrite in rock-salt matrix: The impact of bulk finite strain geometry. In: Bérest, P., Ghoreychi, M., Hadj-Hassen, F. and Tijani, M. (Eds.), *Mechanical Behavior of Salt VII*, pp. 65-70. Taylor & Francis Group, London.

2011

- Ustaömer, P.A., Ustaömer, T., Gerdes, A., and **Zulauf, G.**, 2011. Detrital zircon ages from a Lower Ordovician quartzite of the Istanbul exotic terrane (NW Turkey): evidence for Amazonian affinity. *Int. J. Earth Sciences*, 100, 23-41 (doi: 10.1007/s00531-009-0498-1).
- Zulauf, G.**, Gutiérrez-Alonso, G., Kraus, R., Petschick, R., Potel, S., 2011. Formation of chocolate-tablet boudins in a foreland fold and thrust belt: A case study from the external Variscides (Almograve, Portugal). *J. Struct. Geol.*, 33, 1639-1649, doi:10.1016/j.jsg.2011.08.009.
- Zulauf, J., **Zulauf, G.**, Hammer, J., Zanella, F., 2011. Tablet boudinage of an anhydrite layer in rock-salt matrix: Results from thermomechanical experiments. *J. Struct. Geol.*, 33, 1801-1815; doi: 10.1016/j.jsg.2011.09.006.
- Zulauf, J., **Zulauf, G.**, Kraus, R., Gutiérrez-Alonso, G., 2011. The origin of tablet boudinage: Results from experiments using power-law rock analogs. *Tectonophysics*, 510, 327–336, doi:10.1016/j.tecto.2011.07.013.

2010

- Dörr, W. and **Zulauf, G.** 2010. Elevator tectonics and orogenic collapse of a Tibetan-style plateau in the European Variscides: The role of the Bohemian shear zone. *Int. J. Earth Sciences*, 99, 299-325; doi:10.1007/s00531-008-0389-x.
- Baikpour, S., **Zulauf, G.**, Dehghani, M. Bahroudi, A., 2010. InSAR maps and time series observations of surface displacements of rock salt extruded near Garmsar, northern Iran. *J. Geol. Soc. London.*, 167, 171–181, doi: 10.1144/0016-76492009-058.
- Baikpour, S., **Zulauf, G.**, Abdolahifard, I., Peyrovian, G., Dietl, C., 2010. Analogue and geophysical modelling of the Garmsar salt nappe, Iran: constraints on the evolution of the Alborz Mountains. *Geophysical Journal International*, 182, 599–612, doi: 10.1111/j.1365-246X.2010.04656.x.
- Zulauf, G.**, Zulauf, J., Bornemann, O., Brenker, F., Höfer, H., Peinl, M., Woodland, A., 2010. Experimental deformation of a single-layer anhydrite in halite matrix under bulk constriction. Part 2: Microfabrics and deformation mechanisms. *J. Struct. Geol.* 32, 264-277, doi:10.1016/j.jsg.2009.12.001.

2009

- Craddock, J.P., Klein, T., Kowalczyk, G. and **Zulauf, G.**, 2009. Calcite twinning strains in Alpine orogen flysch: implications for thrust-nappe mechanics and the geodynamics of Crete. *Lithosphere*, 1, 174–191, doi: 10.1130/L31.1
- Galadí-Enríquez, E., Dörr, W., **Zulauf, G.**, Galindo-Zaldívar, J., Heidelbach, F., Rohrmüller, J. Variscan deformation phases in the south-western Bohemian Massif: constraints from sheared granitoids. *Z. dt. Ges. Geowiss.*, 161, 1-23..
- Chowdhury, B.R., Dietl, C., **Zulauf, G.**, Peinl, M., Zanella, F., 2009. A new thermomechanical deformation apparatus for coaxial deformation and its application to rheologically stratified models. *Geotectonic Research*, 96, 3-19; doi: 10.1127/1864-5658/09/96-0003.
- Žák, J., **Zulauf, G.**, 2009. Elevator tectonics and magmatic activity along the Teplá-Barrandian/Moldanubian boundary (Bohemian Massif). In: Lange, J.-M., Linnemann, U., Röhling, H.-G. (eds.): GeoDresden 2009. *Geologie der Böhmischen Masse – Regionale und Angewandte Geowissenschaften im Zentrum Mitteleuropas*, 161. Jahrestagung Deutsche Gesellschaft für Geowissenschaften, 20.09.-02.10.2009 in Dresden. EDGG (Exkursionsführer und Veröffentlichungen der Deutschen Gesellschaft für Geowissenschaften), 241, 5-28; Hannover.

Zulauf, G., Zulauf, J., Bornemann, O., Kihm, N., Peinl, M., Zanella, F., 2009. Experimental deformation of a single-layer anhydrite in halite matrix under bulk constriction. Part 1: Geometric and kinematic aspects. *J. Struct. Geol.*, 31, 460–474, doi: 10.1016/j.jsg.2009.01.013.

2008

Gutiérrez-Alonso, G., Muñoz, A.L., Santos, G., **Zulauf, G.**, Aguilera, D.G., Lahoz, J.G., Herrera, J.S., Weil, A.B., 2008. Uso de un escáner Láser para la descripción y análisis de estructuras geológicas: Los boudines de Almograve (Portugal), del afloramiento al laboratorio. *Geologic structures description and analysis using a Laser scanner: The Almograve (Portugal) boudins, from the outcrop to the lab.* *Geo-Temas* 10, 365-368.

Klein, T., Reichhardt, H., Klinger, L., Grigull, S., Wostal, G., **Zulauf, G.**, 2008. Reverse slip along the contact Phyllite-Quartzite Unit/Tripolitza unit in eastern Crete: implications for the geodynamic evolution of the External Hellenides. In: Xypolias, P. and **Zulauf, G.** (Eds.), *New results and Concepts on the Regional Geology of the Eastern Mediterranean*. Z. dt. Ges. Geowiss., 159, 375-398.

Klein, T., Kiehm, S., Siebel, W., Shang, C.K., Rohrmüller, J., Dörr, W. and **Zulauf, G.**, 2008. Age and emplacement of late Variscan granites of the western Bohemian Massif with main focus on the Hauzenberg granitoids (European Variscides, Germany). *Lithos*, 102, 478-507.

Kroner, U., Mansy, J.-L., Mazur, S., Aleksandrowski, P., Hann, H.P., Huckriede, H., Lacquement, F., Lamarche, J., Ledru, P., Pharao, T.C., Zedler, H., Zeh, A. and **Zulauf, G.**, 2008. Variscan Tectonics. In: McCann, T. (ed.). *The Geology of Central Europe*, Part 1., 800 pp., Geological Society London.

Njiekak, G., Dörr, W., Tchouankoué, J.-P. and **Zulauf, G.**, 2008. U-Pb zircon and microfabrics data of (meta)granitoids of western Cameroun: Constraints on the timing of pluton emplacement and deformation in the Pan-African belt of central Africa. *Lithos*, 102, 460-477.

Lode, S., Romer, T., Völs, S., Xypolias, P., **Zulauf, G.**, 2008. The pre-Alpine basement of Kythira (Greece). In: Xypolias, P. and **Zulauf, G.** (Eds.), *New results and Concepts on the Regional Geology of the Eastern Mediterranean*. Z. dt. Ges. Geowiss., 159, 457-468.

Romer, T., Völs, S., Schulz, B., Xypolias, P., **Zulauf, G.** and Krenn, E., 2008. Metamorphism and P-T paths of the pre-Alpine basement and the Phyllite-Quartzite unit s.str. of Kythira (External Hellenides, Greece). In: Xypolias, P. and **Zulauf, G.** (Eds.), *New results and Concepts on the Regional Geology of the Eastern Mediterranean*. Z. dt. Ges. Geowiss., 159, 469-484.

Xypolias, P., Koukouvelas, I. & **Zulauf, G.**, 2008. Tectonic evolution of the northeastern Apulia from late Palaeozoic to Quaternary: insights from a key area in the Hellenides (Kythira, Greece). In: Xypolias, P. and **Zulauf, G.** (Eds.), *New results and Concepts on the Regional Geology of the Eastern Mediterranean*. Z. dt. Ges. Geowiss., 159, 439-455.

Zulauf, G., Klein, T., Kowalczyk, G., Krahl, J. and Romano S., 2008. The Mirsini syncline of eastern Crete, Greece: a key area for understanding pre-Alpine and Alpine orogeny in the eastern Mediterranean. In: Xypolias, P. and **Zulauf, G.** (Eds.), *New results and Concepts on the Regional Geology of the Eastern Mediterranean*. Z. dt. Ges. Geowiss., 159, 399-414.

2007

Enama Mengong, M. and **Zulauf, G.**, 2007. The impact of strain rate on folding and boudinage under plane strain: Results from analogue modelling. *Geotectonic Research*, 95, 101-114.

Zulauf, G., Zulauf J. and Bornemann, O., 2007. Deformation of a halite-anhydrite sequence under bulk constriction: Preliminary results from thermomechanical experiments. In: Wallner, M., Lux, K.-H., Minkley, W. and Hardy, H.R. Jr. (Eds.), *The Mechanical Behavior of Salt – Understanding of THMC Processes in Salt*, pp. 63-68. Taylor & Francis Group, London.

Zulauf, G., Dörr, W., Fiala, J., Romano, S.S., 2007. Crete and the Minoan Terranes: Age constraints from U-Pb dating of detrital zircons. In: Linnemann, U., Nance, R.D., Kraft, P., and **Zulauf, G.** (eds.). The evolution of the Rheic Ocean: From Avalonian-Cadomian active margin to Alleghenian-Variscan collision. GSA Special Paper, 423, 401-409.

2006

Enama-Mengong, M. and **Zulauf, G.**, 2006. Coeval folding and boudinage under bulk plain strain, with the axis of no change perpendicular to the layering. *Int. J. Earth Sci.*, 95: 178-188.

Galadí-Enríquez, E., **Zulauf, G.**, Heidelbach, F. and Rohrmüller, J., 2006. Insights into the deformation history of a dyke-host association showing contrasting rheologies and inconsistent shear-sense indicators: The Saunstein granite dyke (Bavarian Forest, SE Germany, European Variscides). *J. Struct. Geol.*, 28, 1536-1552.

Galadí-Enríquez, E. and **Zulauf, G.**, 2006. Geologische Karte von Bayern 1 : 25000, Blatt 7246 Tittling, mit Erläuterungen. Bayerisches Landesamt für Umwelt.

Romano, S.S., Brix, M., Dörr, W., Fiala, J., Krenn, E., **Zulauf, G.**, 2006. The Carboniferous to Jurassic evolution of the pre-Alpine basement of Crete: constraints from radiometric dating of orthogneiss, fission-track dating of zircon and structural/petrological data. *J. Geol. Soc. Spec. Publ.*, 260, 69-90.

Timmermann, H., Dörr, W., Krenn, E., Finger, F., **Zulauf, G.**, 2006. Conventional and In-Situ Geochronology of the Teplá Crystalline Unit, Bohemian Massif: Implications for the processes involving monazite formation. *Int. J. Earth Science*, 95, 629-648.

2005

Xypolias, P., Dörr, W., **Zulauf, G.**, 2005. Late Carboniferous plutonism within the pre-Alpine basement of the External Hellenides (Kithira, Greece): Evidence from U-Pb zircon dating. *J. geol. Soc. London*, 163: 539-547.

Zulauf, J. and **Zulauf, G.**, 2005. Coeval folding and boudinage in four dimensions. *J. Struct. Geol.*, 27: 1061-1068.

2004

Barthelmes, S., Borsany, B., Kowalczyk, G. and **Zulauf, G.**, 2004. Structural evolution, kinematics and strain of the Chamezi and Tripokefala beds on top of the pre-Alpine basement (Phyllite Quartzite Unit, eastern Crete, Greece). *Z. dt. geol. Ges.*, 154: 519-535.

Bigalke, J., Junge, A. and **Zulauf, G.**, 2004. Electronically conducting brittle-ductile shear zones in the crystalline basement of Rittsteig (Bohemian Massif, Germany): Evidence from self potential and borehole measurements. *Int. J. Earth Sci.*, 93: 44-51.

Romano, S., Dörr, W., **Zulauf, G.**, 2004. Total Pb loss of Cadomian zircons due to Alpine subduction: Examples from the pre-Alpine basement of Crete. In: Dörr, W., Finger, F., Linnemann, U. and **Zulauf, G.**, The Avalonian-Cadomian Belt and related peri-Gondwanan terranes. *Int. J. Earth Sci.*, 93: 844-859.

Zulauf, J. & **Zulauf, G.**, 2004. Rheology of plasticine: The impact of temperature, composition and strain. *J. Struct. Geol.*, 26: 725-737.

Zulauf, G., Fiala, J., Finger, F., Linnemann, U., 2004. Cadomian orogenic imprints in the Bohemian Massif (Austria, The Czech Republic and Germany). Field Trip Guide Book, B31, Volume 2, B16 - B33. 32nd International Geological Congress, Florence, Italy, 20. – 28. August 2004.

2003

- Artmann, E., Bues, C., Scheuvens, D. & **Zulauf, G.**, 2003. Zur tektonometamorphen Entwicklung der Zentralböhmischen Scherzone zwischen Svatá Kateřina und Rittsteig unter besonderer Berücksichtigung der Forschungsbohrung Rittsteig (Böhmisches Massiv). *Geologica Bavarica*, 107: 63-94.
- Njiekak, G., **Zulauf, G.** and Tchouankoue, J.P., 2003. Brittle deformation analysis of the west Cameroon highlands (central part of the Cameroon Line). *Zbl. Geol. Paläont. Teil I*, 2002: 243-265.
- Zulauf, G.**, Zulauf, J., Hastreiter, P. & Tomandl, B., 2003. A deformation apparatus for three-dimensional coaxial deformation and its application to rheologically stratified analogue material. *J. Struct. Geol.*, 25: 469-480.
- Zulauf, G.** & Vejnar, Z., 2003. Variszische Fahrstuhltektonik und cadomisches Basement im Westteil der Böhmisches Massiv (Exkursion I am 25. April 2003). *Jber. Mitt. oberrhein. geol. Ver.*, N.F.85: 295-315.

2002

- Bues, C., Dörr, W., Fiala, J., Vejnar, Z. and **Zulauf, G.**, 2002. Emplacement depth and radiometric ages of Paleozoic plutons of the Neukirchen-Kdyn+ massif: Differential uplift and exhumation of Cadomian basement due to Carboniferous orogenic collapse (Bohemian Massif). *Tectonophysics*, 352: 225-243.
- Dörr, W., **Zulauf, G.**, Fiala, J., Franke, W. and Vejnar, Z., 2002. Neoproterozoic to Early Cambrian history of an active plate margin in the Tepel' Barrandian unit – a correlation of U-Pb Isotopic-Dilution-TIMS ages (Bohemia, Czech Republic). *Tectonophysics*, 352: 65-85.
- Finger, F., Krenn, E., Riegler, G., Romano, S. & **Zulauf, G.**, 2002. Resolving Cambrian, Carboniferous, Permian and Alpine monazite generations in the polymetamorphic basement of eastern Crete (Greece) by means of the electron-microprobe. *Terra Nova*, 14: 233-240.
- Murphy, J.B., Eguiluz, L., **Zulauf, G.**, 2002. Cadomian Orogens, peri-Gondwanan correlatives and Laurentia-Baltica connections. *Tectonophysics*, 352: 1-9.
- Schöpfer, M.P.J. & **Zulauf, G.**, 2002. Strain dependent rheology and the memory of plasticine. *Tectonophysics*, 354: 85-99.
- Zulauf, G.**, 2002. Elevator-style tectonics and tilted crustal sections in the Teplá Barrandian unit. Post-conference field trip, TSK 9, March 23-24, 2002. Erlanger Geol. Abh., Sonderband 3, 101-121.
- Zulauf, G.**, Kowalczyk, G., Petschick, R., Schwanz, S. & Krahl J., 2002. The tectonometamorphic evolution of high-pressure low-temperature metamorphic rocks of eastern Crete, Greece: Constraints from microfabrics, strain, illite crystallinity and paleostress. *J. Struct. Geol.*, 24: 1805-1828.
- Zulauf, G.**, Bues, C., Dörr, W. & Vejnar, Z., 2002. 10 km minimum throw along the West Bohemian shear zone: Evidence for dramatic crustal thickening and high topography in the Bohemian Massif (European Variscides). *Int. J. Earth Sci.*, 91: 850-864.
- Zulauf, G.**, Dörr W, Fiala J, Kotková J, Maluski H, Valverde-Vaquero P., 2002. Evidence for high-temperature diffusional creep preserved by rapid cooling of lower crust (North Bohemian shear zone, Czech Republic). *Terra Nova*, 14: 343-354.

2001

- Zulauf, G.**, 2001. Structural style, deformation mechanisms and paleostress along an exposed crustal section: Constraints on the rheology of quartzofeldspathic rocks at supra- and infrastructural levels (Tepla Barrandian unit, Bohemian Massif). *Tectonophysics*, 332: 211-237.

2000

- Bues, C. & **Zulauf, G.**, 2000. Microstructural evolution and geologic significance of garnet pyroclastites in the Hoher-Bogen shear zone (Bohemian massif, Germany). *Int. J. Earth Sci.*, 88: 803-813.
- Henk, A., von Blanckenburg, F., Finger, F., Schaltegger, U. & **Zulauf, G.**, 2000. Syn-convergent high-temperature metamorphism and magmatism in the Variscides – a discussion of potential heat sources. *Geol. Soc. Spec. Publ.*, 179: 387-399.
- Scheuvens, D. & **Zulauf, G.**, 2000. Exhumation, strain localization, and emplacement of granitoids along the western part of the Central Bohemian shear zone (central European Variscides, Czech Republic). *Int. J. Earth Sci.*, 89: 617-630.

1999

- Zulauf, G.**, Palm, S., Petschick, R. & Spies, O., 1999. Element mobility and volumetric strain in brittle and brittle-viscous shear zones of the superdeep well KTB (Germany). *Chem. Geology*, 156: 135-149.
- Zulauf, G.**, Schitter, F., Riegler, G., Finger, F., Fiala, J. & Vejnar, Z., 1999. Age constraints on the Cadomian evolution of the Teplá Barrandian unit (Bohemian Massif) through electron microprobe dating of metamorphic monazite. *Z. dt. geol. Ges.*, 150: 627-640.

1998

- Bues, C., Behrmann, J., Franke, W., Pauli, Ch., Seibert, J. & **Zulauf, G.**, 1998. Strukturentwicklung und Kinematik der Metabasite und Metapelite im Grenzbereich Teplá-Barrandium/Moldanubikum im Raum Hoher Bogen (NE Bayern). *Z. dt. geol. Ges.*, 149/3: 329-343.
- Dörr, W., Fiala, J., Vejnar, Z. & **Zulauf, G.**, 1998. U-Pb zircon ages, geochemistry and structural development of meta-granitoids of the Teplá Crystalline Complex - Evidence for pervasive Cambrian plutonism within the Bohemian Massif (Czech Republic). *Geol. Rundsch.*, 87: 135-149.
- Zulauf, G.** & Vejnar, Z., 1998. Zur geologischen Entwicklung des Teplá-Kristallins und des Marienbader Komplexes (Böhmisches Masse) (Exkursion am 18. April 1998). *Jber. Mitt. oberrhein. geol. Ver.*, N.F.80: 195-221.

1997

- Dresen, G., Duyster, J., Wirth, Stöckhert, B. & **Zulauf, G.**, 1997. Quartz dislocation microstructure between 7000 and 9101 m depth from the Continental Deep Drilling Project. *J. geophys. Res.*, 102, B8: 18,443-18,452.
- Haak, V., Simpson, F., Bahr, K., Bigalke, J., Eisel, M., Harms, U., Hirschmann, G., Huenges, E., Jödicke, H., Kontny, A., Kück, J., Nover, G., Rauen, A., Stoll, J., Walther, J., Winter, H. & **Zulauf, G.**, 1997. KTB and the Electrical Conductivity of the Crust. *J. geophys. Res.*, 102, B8: 18,289-18,305.
- Hirschmann, G., Duyster, J., Harms, U., Kontny, A., Lapp, M., de Wall, H. & **Zulauf, G.**, 1997. The KTB superdeep borehole: petrography and structure of a 9-km-deep crustal section. *Geol. Rundsch.*, 86 Suppl., 3-14.
- Kontny, A., Friedrich, G., Behr, H.-J., de Wall, H., Horn, E.E., Möller, P., & **Zulauf, G.**, 1997. Formation of ore minerals in metamorphic rocks of the German continental deep drilling site (KTB). *J. geophys. Res.* 102, B8: 18,323-18,336.
- Wagner, G.A., Coyle, D.A., Duyster, J., Henjes-Kunst, F., Peterek, A., Schröder, B., Stöckhert, B., Wemmer, K., **Zulauf, G.**, Ahrendt, H., Bischoff, R., Hejl, E., Jacobs, J., Menzel, D., Lal Nand, Vand den haute, P., Vercoutere, C. & Welzel, B., 1997. Post-Variscan thermic and tectonic evolution of the KTB site and its surroundings. *J. geophys. Res.* 102, B8: 18,221-18,232.

- Zulauf, G.**, 1997. Constriction due to subduction: Evidence for slab pull in the Mariánské Lázne complex (central European Variscides). *Terra Nova*, 9: 232-236.
- Zulauf, G.**, 1997. Von der Anchizone bis zur Eklogitfazies: Angekippte Krustenprofile als Folge der cadomischen und variscischen Orogenese im Teplá-Barrandium (Böhmisches Massiv). *Geotekt. Forsch.*, 89: 302 pp.
- Zulauf, G.**, Dörr, W., Fiala, J. & Vejnar, Z., 1997. Late Cadomian crustal tilting and Cambrian transtension in the Teplá-Barrandian unit (Bohemian Massif, Central European Variscides). *Geol. Rundsch.*, 86: 571-584.
- Zulauf, G.** & Duyster, J., 1997. Faults and veins in the superdeep well KTB: Constraints on the amount of Alpine intra-plate thrusting and stacking of Variscan basement (Bohemian Massif, Germany). *Geol. Rundsch.*, 86 Suppl., 28-33.
- Zulauf, G.** & Duyster, J., 1997. Supracrustal intraplate thickening of Variscan basement due to Alpine foreland compression: results from the superdeep well KTB (Bohemian Massif, Germany). *Tectonics*, 16: 730-743.
- Zulauf, G.** & Helferich, S., 1997. Strain and strain rate in a synkinematic trondhjemite dike: evidence for melt-induced strain softening during shearing (Bohemian Massif, Czech Republic). *J. Struct. Geol.*, 19: 639-652.
- Zulauf, G.**, Maier, M. & Stöckhert, B., 1997. Depth of intrusion and thermal modeling of the Falkenberg granite (Oberpfalz, Germany). *Geol. Rundsch.*, 86 Suppl., 87-92.

1996

- Zulauf, G.**, 1996. Zur strukturellen und metamorphen Entwicklung der Gesteine der Bohrung Dobrigau 1989. *Geol. Jb.*, A 143: 21-41.

1995

- Duyster, J., Kontny, A., De Wall, H. & **Zulauf, G.**, 1995. Postvariscische Krustenstapelung am Westrand der Böhmischen Masse - abgeleitet aus dem 9,1 km tiefen KTB-Krustenprofil. *Die Geowissenschaften*, 13 (1995): 135-141.
- Kobberger, G. & **Zulauf, G.**, 1995. Experimental folding and boudinage under pure constrictional conditions. *J. Struct. Geol.*, 17: 1055-1063.
- Zulauf, G.**, 1995. Cadomian and Variscan tectonothermal events in the SW part of the Tepla-Barrandian Unit (Bohemian Massif, Czech Republic). *Zbl. Geol. Paläont. Teil I*, 1993 H.9/10: 1516-1528.

1994

- Bahr, K., Bigalke, J., Eisel, M., Haak, V., Harms, U., Hirschmann, G., Huenges, E., Jödicke, H., Kontny, A., Kück, J., Nover, G., H.G., Rauen, A., Stoll, J., Walther, J., Winter, H. & **Zulauf, G.**, 1994. Untersuchungen zur elektrischen Leitfähigkeit in der Kontinentalen Tiefbohrung und ihrem Umfeld - was bringen sie uns Neues? *DGG Mittgl.*, 4/1994: 2-40.
- Duyster, J., De Wall, H. & **Zulauf, G.**, 1994. 9000 meter profile in KTB. Where are the depth-dependent gradients. *KTB-Report*, 94-2: A15-A24.
- Peterek, A., Bischoff, R., Coyle, D., Haack, U., Hirschmann, G., Lich, S., Rauche, H., Rust, S., Schröder, B., Semmel, A., Stettner, G., Stöckhert, B., Umsonst, T., Wagner, G.A., Wemmer, K. & **Zulauf, G.**, 1994. The late and post-Variscan tectonic evolution of the KTB-drilling site area - a short workshop report. *KTB Report*, 94-2: A55-A62.
- Zulauf, G.**, 1994. Ductile normal faulting along the West-Bohemian Shear Zone (Moldanubian / Tepla-Barrandian boundary) - Evidence for late Variscan extensional collapse in the Variscan internides. *Geol. Rundsch.*, 83: 276-292.

1993

- Godizart, G. & **Zulauf, G.**, 1993. Ductile normal faults in the KTB Hauptbohrung - Evidence for late Variscan extensional collapse. KTB Report, 93-2: 103-105.
- Zulauf, G.**, 1993. Brittle deformation events at the western border of the Bohemian Massif (Germany). Geol. Rundsch., 83: 489-504.
- Zulauf, G.**, 1993. The Moldanubian/Saxothuringian Boundary at the Western Border of the Bohemian Massif - a Polyphase Strike-slip Zone. Z. dt. Geol. Ges., 144: 68-87.
- Zulauf, G.**, Kleinschmidt, G. & Oncken, O., 1993. Brittle and brittle-ductile deformation in the KTB-Hauptbohrung. KTB Report, 93-2: 111-114.

1992

- Röhr, C. & **Zulauf, G.**, 1992. Petrologische und strukturgeologische Untersuchungen in den Grenzbereichen der Erbendorfer Grünschieferzone. KTB Report, 92-4: 181-212.
- Zulauf, G.**, 1992. Late- to post-Variscan deformation phases and paleostresses in the KTB pilot well (Bohemian Massif, Germany). Tectonophysics, 202: 1-21.

1991

- Schmidt, H. & **Zulauf, G.**, 1991. Geomagnetische Anomalien im Bereich eines tertiären Vulkankraters bei Hungen-Langd (Vogelsberg). Geol. Jb. Hessen, 119: 229-233.
- Zulauf, G.**, 1991. Zur spät- bis postvariszischen Krustenentwicklung in der nördlichen Oberpfalz. KTB Report, 91-1: 41-62.

1990

- Borchardt, R., **Zulauf, G.**, Emmermann, R., Hoefs, J. & Simon, K., 1990. Abfolge und Bildungsbedingungen von Sekundärmineralen in der KTB-Vorbohrung. KTB Report, 90-4: 76-88.
- Röhr, C., Kohl, J., Hacker, W., Keyssner, S., Müller, H., Sigmund, J., Stroh, A & **Zulauf, G.**, 1990. Continental Deep Drilling Program of the F.R.Germany (KTB). Geological profile, metamorphic development and structural variations of the pilot hole. KTB Report, 90-8: B1-B54.
- Zulauf, G.**, 1990. Tiefbohrung KTB-Oberpfalz VB, Bruchtektonik im Teufenbereich von 2500 bis 3893 m. KTB Report, 90-2: F1-F26.
- Zulauf, G.**, 1990. Spät- bis postvariszische Deformationen und Spannungsfelder in der nördlichen Oberpfalz (Bayern) unter besonderer Berücksichtigung der KTB-Vorbohrung. Frankfurter geowiss. Arb., A8, 285 pp.
- Zulauf, G.**, 1990. Die kraternahen vulkanischen Bildungen des Steinbruchs "Rauher Berg" NNE Brauerschwend (NE-Rand des Vogelsberges). Geol. Jb. Hessen, 118: 199-209.
- Zulauf, G.**, Kleinschmidt, G. & Oncken, O., 1990. Brittle deformation and graphitic cataclasites in the pilot research well KTB-VB (Oberpfalz, F.R.G.). In: Knipe, R.J. & Rutter, E.H. (Eds.): Deformation Mechanisms Rheology and Tectonics, Geol. Soc. London Spec. Publ., 54: 97-103.

1989

- Zulauf, G.**, 1989. Tiefbohrung KTB-Oberpfalz VB, Bruchtektonik im Teufenbereich von 1530 bis 2500 m. KTB Report, 89-4: E1-E22.

- Zulauf, G.**, 1989. Die Untersuchungsbohrungen der Kreismülldeponie "Bastwald" (Vogelsbergkreis) und ihre Bedeutung für die nordöstliche Fortsetzung des Lauterbacher Grabens. *Geol. Jb. Hessen*, 117: 169-205.
- Zulauf, G.** & Kohl, J., 1989. Tiefbohrung KTB Oberpfalz VB, Bruchtektonik im Teufenbereich von 1177 - 1530 m. *KTB Report*, 89-2: E1-E14.

Guest Editor of Special Volumes

- Behr, J., Grauert, B., Okrusch, M., Stöckhert, B., Wagner, G.A., Weber, K. and **Zulauf, G.**, 1997. The German deep drilling project, KTB. *Int. J. Earth Sciences*, 86 (Supplement).
- Murphy, J.B., Eguiluz, L. and **Zulauf, G.**, 2002. Massifs and Correlations across the Cadomo-Avalonian Orogens. *Tectonophysics*, 352.
- Behrmann, J., Tanner, D. and **Zulauf, G.**, 2003. Ausgewählte Beiträge zum 8. und 9. Symposium „Tektonik, Strukturengologie und Kristallingeologie“. *Zbl. Geol. Paläont.*, 2002, 3/4.
- Dörr, W., Finger, F., Linnemann, U., **Zulauf, G.**, 2004. The Avalonian-Cadomian Belt and related peri-Gondwanan Terranes. *Int. J. Earth Sci.*, 93.
- Linnemann, U., Nance, R.D., Kraft, P., and **Zulauf, G.**, 2007. The evolution of the Rheic Ocean: From Avalonian-Cadomian active margin to Alleghenian-Variscan collision. *GSA Special Paper*, 423.
- Xypolias, P. and **Zulauf, G.**, 2008. New results and Concepts on the Regional Geology of the Eastern Mediterranean. *Z. dt. Ges. Geowiss.*, 159(3).
- Xypolias, P., Ustaömer, T. and **Zulauf, G.**, 2016. Eastern Mediterranean Tectonics. *Int. J. Earth Sci.*, 105/7.